

ESSENCE OF NATURAL STONE



GALAXY SERIES
SPECIAL COLOUR SERIES



LIKE A MARVEL OF NATURE!

Since time immemorial, nature has been a force of inspiration for mankind to create, innovate, imagine, and invent a better and more beautiful way of living! Presenting Galaxy series by Vetican Granito that celebrates nature and its greatness in a mammoth size and style. Containing enchanting and spirited designs with a feast of shades, Galaxy Series is a sintered stone collection that implicates the natural grace and grandeur of marble in bigger size to adorn every inch of your ambiance. From sensuous countertops to impressive walls or giant slabs for the floor, Galaxy Series by Vetican is a reminder of nature's pristine beauty and vibrancy at every step.



POSITIVE OUTLOOK
TO YOUR SPACE


LET YOUR WORLD HAVE
NEW VIBRANCY, NEW VIVACITY.

Thanks to ultra cool designs and enchanting patterns by Galaxy, design, and creativity have a new manifestation.

With elements and shades inspired by nature, it gives your modern space the vibes and energy that are pure and earthy.

HAVE AN EDGE OF ELEGANCE

Made with advanced technology, the sintered stone collection from Galaxy is a pure joy as its world-class production process ensures that the natural elegance of nature keeps beautifying your spaces for the longest time.




APPLICATION AREA

From walls to floors to ascents and furniture, Galaxy adorns your space as you desire. Designed to perfectly suit all your requirements for a lavish space that uplifts and defines your ambiance to give it a greater look. With a promising quality and wide range designs, we offer the best designs. We believe in quality & best services!






Click on tiles image to scroll for specific design's page.



GALAXY SERIES




Ω - Super White Series Φ - Light Series Δ - Dark Series



Click on  Colour Combination Back to Index Page

















SPECIAL COLOUR



Click on tiles image to scroll for specific design's page.

COMBINATION
USED BY
ARCHITECTS

- A GALAXY BEIGE
- B GALAXY BROWN
- C GALAXY CREMA
- D GALAXY DARK GREY
- E GALAXY GREY
- F GALAXY MIST
- G GALAXY NEW WHITE
- H GALAXY PEARL WHITE
- I GALAXY STEEL GREY
- J GALAXY TERRAZZO VERDE
- K GALAXY VANILA WHITE
- L GALAXY VERDE
- M GALAXY WHITE
- N GALAXY BLACK
- O GALAXY ROYAL WHITE
- P GALAXY ROYAL VERDE



GALAXY BEIGE

Φ - Light Series



COLOUR COMBINATION

Sizes:

800x2400 mm / 800x3000 mm

Surfaces:

Glossy & Matt

Thickness:

15mm

Series:

Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY BEIGE


Φ - Light Series





GALAXY BROWN

△ - Dark Series



COLOUR COMBINATION

Sizes:

800x2400 mm | 800x3000 mm

Surfaces:

Glossy & Matt

Thickness:

15mm

Series:

Dark



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

GALAXY BROWN

△ - Dark Series





GALAXY CREMA

Φ - Light Series



COLOUR COMBINATION

Sizes:

800x2400 mm | 800x3000 mm

Surfaces:

Glossy & Matt

Thickness:

15mm

Series:

Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY CREMA


Φ - Light Series





GALAXY DARK GREY

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY DARK GREY


Φ - Light Series





GALAXY GREY

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm


Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY GREY


Φ - Light Series





GALAXY MIST

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY MIST

Φ - Light Series





GALAXY
NEW WHITE

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY NEW WHITE

Φ - Light Series






GALAXY

PEARL WHITE

☐ - Super White



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Super White



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Super White

GALAXY PEARL WHITE

☐ - Super White





GALAXY
STEEL GREY

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY STEEL GREY

Φ - Light Series





GALAXY TERRAZZO VERDE

Φ - Light Series



COLOUR COMBINATION

Sizes:

800x2400 mm | 800x3000 mm

Surfaces:

Glossy & Matt

Thickness:

15mm

Series:

Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY TERRAZZO VERDE

Φ - Light Series





GALAXY VANILA WHITE

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm


Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY VANILA WHITE

Φ - Light Series





GALAXY VERDE

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY VERDE


Φ - Light Series





GALAXY WHITE

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY WHITE


Φ - Light Series





GALAXY BLACK

△ - Dark Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

GALAXY BLACK

Δ - Dark Series







GALAXY

ROYAL VERDE

Φ - Light Series




COLOUR COMBINATION

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light





Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY ROYAL VERDE

Φ - Light Series





GALAXY
ROYAL WHITE

Φ - Light Series



COLOUR COMBINATION

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

GALAXY ROYAL WHITE














Φ - Light Series






COMBINATION
USED BY
ARCHITECTS

- A BLACK
- B BROWN
- C CHOCO
- D DARK BEIGE
- E DARK GREEN
- F PURE JAISALMER
- G MASHROOM
- H SMOKE GREY
- I PEARL WHITE
- J DARK GREY
- K ULTRA WHITE
- L LIGHT GREY
- M ULTRA GREY



BLACK

Δ - Dark Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm


Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

BLACK


Δ - Dark Series





BROWN

Δ - Dark Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

BROWN


△ - Dark Series





BEIGE

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

BEIGE


Φ - Light Series





CHOCO

△ - Dark Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

CHOCO


△ - Dark Series





DARK GREEN

Δ - Dark Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

DARK GREEN


△ - Dark Series





PURE JAISALMER

Δ - Dark Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Dark

PURE JAISALMER


Δ - Dark Series





MASHROOM

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

MASHROOM


Φ - Light Series





SMOKE GREY

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

SMOKE GREY


Φ - Light Series





PEARL WHITE

☐ - Super White



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Super White



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Super White

PEARL WHITE

☐ - Super White





LIGHT GREY

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

LIGHT GREY


Φ - Light Series





DARK GREY

Φ - Light Series



COLOUR COMBINATION


SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

DARK GREY


Φ - Light Series





ULTRA WHITE

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

ULTRA WHITE


Φ - Light Series





ULTRA GREY

Φ - Light Series



COLOUR COMBINATION

SPECIAL COLOUR SERIES

Sizes:
800x2400 mm | 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light



SPECIAL COLOUR SERIES

Sizes:
800x2400 mm / 800x3000 mm

Surfaces:
Glossy & Matt

Thickness:
15mm

Series:
Light

ULTRA GREY

Φ - Light Series








MANUALLY TRANSPORTING TILES

Only for 1/4" Slabs


MOVING A TILE



RAISING A IMMODERATE TILE ONTO A BENCH




✗ INCORRECT




✓ CORRECT

HANDLING IMMODERATE TILE FOR WALL




✗ INCORRECT



✓ CORRECT



WORKING WITH THE VARIOUS VERSIONS OF TILES

CUTTING WITH DIAMOND DISCS




Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.



INTERNAL CUT / L-SHAPED CUT



To get internal and L-shaped corners & to reduce the risk of breakage, round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

When using these tools:
-Cool the point being drilled with water
-Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
-If you are using tungsten bits, start drilling at a low speed
-If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING




INSTRUCTIONS FOR MANUAL INSTALLATION

SINGLE LAYER METHOD



DOUBLE-LAYER METHOD



COMPRESSING THE TILE



IMPORTANT

All cutout corners must have a minimum diameter of 1/4".Never leave 90° angles.We recommend radiuses of more than 1/4" when the kitchen the design allows as it makes the countertop firmer.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.bla		TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1,00	ΔE<0,30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	GlossMeter
Structural Properties			
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Repture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of PC's/Box	Square Feet	Weight (Approx)
800x3000mm	1 Pcs.	25.83 Sq. Feet	83 Kg.
800x2400mm	1 Pcs.	20.67 Sq. Feet	68 Kg.